

ת/24/17
מס, ליד, ט

6

מדינת ישראל

משרד ראש הממשלה

ארכיון המדינה

נוש' מחצ' השואה - נאמ' א"י
(נסת' א"ל כ"ד)

Water Supply TulKarm

T/24/17

21/4/1947 - 13/8/1946

מס, ליד, ט
מס, ליד, ט
T/24/17

מחלקה

מדינת ישראל
גנזך המדינה



מ - 4900/7

מזהה פנימי

כתובת:

03/12/2003

02-108-11-11-07

מ

ארץ ישראל
ממשלת המנדט

T/24/17

156

WATER SUPPLY

TULKARM

محققا

حارة فائز قضا حرم الترم

٢

المؤيد صدره

هم القالب
نوع الثاني

القصير
الركم
الغالب

المعاج
السنة

نصف السهم

١٢

~~نصف السهم~~

فائدة

שם המקום המוקצק ליער

מקום אגד התאג

המקום שמוציאים ממנו

למדה לעינה לאגד התאג מנהל האגד

עד

מועד ההוצאה מ

שروط התק

תנאי ההעברה

בראשית

the title to ownership of the forest land by the holder."

אן אגדא זהה הרקשה לא יתקטן

מתן רשיון זה אין פירושו הכרת זכ

in the issue of this licence.

יסתופי

מס של 50 מיל יק

under this licence.

לא יבכור קלמ

אין הרשיון הזה מרש

not later than ten days after the expiry thereof

יבכר ארגא זהה הרקשה אל המוקצק אלדי אגד

רשיון זה יבכור לפקיד המסונה על מתן הרשיון

der this licence is prohibited.

מחזור ימ תאג הגבה אל

אכור למכור תוצרת יק

OFFICER

st Officer

מוקצק הגבה

פקיד היעור

Date

28.9.44

תאריך

מאריך

תאריך הדק לרשיון האגד

המאריך התשלום לעזור מנהל החשבונות

לעב ומרכז רשיון האגד

המאריך של עזור מנהל החשבונות ומקום מנהל

מורה ושל רשיון האגד

מספר הקבלה של עזור מנהל החשבונות

מנהל

Handwritten signature

الرجاء ان تذكروا عند الاجابة
رقم 7/15

25
بلدية طولكرم

صندوق البريد رقم ٩
التلفون رقم ١٥

20th October, 1947. طولكرم في

Assistant District Commissioner
T U L K A R M.

Subject:-Chlorinator for the Water Supply.

Ref'nce:-My letter No.7/15 dated 21.9.47 . P.24

A quotation has been received from Engineer Mr.M.Burger to equip our Water Supply with a chlorinator manufactured by Messrs Wallace and Tiernan Ltd.London.

This chlorinator according to the Municipal Engineer and the other experts whom we have consulted ,is the most suitable for our water plant.

The price amounts to LP.411;and as this expenditure exceeds the amount prescribed by the District Commissioner for the Municipality of Tulkarm vide sec.92-1(a) of the Municipal Corporation Ordinance by LP.11 , I shall be obliged if a special authority is obtained for this urgent case.

Yours faithfully



H. Jayousi
Chairman

Municipal Commission
Tulkarm.

Spoke to Mayor
PA 18 Nov 47
Amch.

20th October, 1947. طولكرم في

Assistant District Commissioner

T U L K A R M.

Subject:-Chlorinator for the Water Supply.

Ref'nce:-My letter No.7/15 dated 21.9.47 .

A quotation has been received from Engineer Mr.M.Burger to equip our Water Supply with a chlorinator manufactured by Messrs Wallace and Tiernan Ltd.London.

This chlorinator according to the Municipal Engineer and the other experts whom we have consulted ,is the most suitable for our water plant.

The price amounts to LP.411;and as this expenditure exceeds the amount prescribed by the District Commissioner for the Municipality of Tulkarm vide sec.92-1(a) of the Municipal Corporation Ordinance by LP.11 , I shall be obliged if a special authority is obtained for this urgent case.

Yours faithfully

H. Jafar

Chairman
Municipal Commission
Tulkarm.

طولكرم في ١٩/٩/١٩٤٧

محترمة طبيب محبة طولكرم المحترمة

المرضوع :- تطهر الماء

الاشياء :- كئاسم رقم ١٧/٢ المودع في ١٩/٩/١٩٤٧

على اثر المقابلة التي جرت بينا في دائرة البلدية طلبنا من هذا المحضر
المهندس زتين للمجبة من ان ياتي في موضوع تركيب جهاز جديد لتطهير الماء
بدلاً من تطهير الجواز القديم ، فاختار من جهازاً بانه منزهة في مقادير
مكبدة للمكبدة ولا تقطع المحضر الا طولكرم قبل اول اسد القادم
على اننا في نفس الوقت اتفقا بشركاء اخرى وطففاها بتقديم عطاءات لتركيب
آلة تطهير الماء وعند ما قلنا العطاءات ونديرها سنقرر عقد لاتفا ففوراً
على تركيب الآلة التي توافق مشروعنا .

ان كانت البلدية بقبول تبقيهم الماء بوسيلة ، وطالما ان نأخذ في حصر الماء
ما زالت غير مرضية اري ان تتولى دارتهم الاشراف على عملية التقييم ومراقبة
ما كانت البلدية في عمله سيما يتم تركيب الآلة الخاصة بالماء زرها .
وتفضلوا بقولهم في لوجه الاحترام

عبد يسر خنجر بلدية طولكرم

فندق الاسارة ما عهدهم
الدواير بطولكرم المحترمة

٢٥ م. عفو

22 SEP. 1947

١٩٤٧

دائرة الصحة
١٣ طوبس

٤٠
حرفة رئيس بلدية طوبس المحترم

الموضوع : تطهير الماء

اشير الى كتابكم رقم ١٥/٧ المؤرخ ١٧/٩/٤٧ وادعيتكم
بأنه نتيجة فحص الماء بتاريخ ١٧/٩/٤٧ جاءت نتيجة
صالحة للشرب وذلك برهانه بأنه ما كنت البلدية لم
يقوم الماء حسب انشائكم اطلعنا على تقرير
وكانت يوم زيارتي للبلدية اخبرني بتوصيل الجهاز
من المهندسين المذكورين في قيد بأنه لا يوجد بتوصيل الجهاز
القديم بل لمعه على البلدية جهازاً جديداً مقابل
مبلغ مائتيه جنيه فطلبنا من المهندسين المذكورين
الذين هم الفيزيائيين سرعة الاتفاق مع البلدية
بتركيب الجهاز الجديد في اقرب وقت ممكن
لاقطانه ولا يمكن تأجيل صورة التكاليف هنا فلي
الذين انهم تنظروا بهذه الحالة بعين الاعتبار وقبلنا
في الاستقام ١٧/٩/٤٧
نوطا محمد حاكم الدوا المحترم

RECEIVED
22 SEP 1947
TUNIS

١٩٤٧

بلدية طولكرم

صندوق البريد رقم ٩
التلغراف رقم ١٥

الرجاء ان تذكروا عند الاجابة
رقم ١٥/١٠

24/17

طولكرم في ١٦/٩/١٩٤٧

سعادة قاضى مقام قضاة طولكرم المحترمين
الموضوع :- شكوى شري عواد ضد البلدية
كان قصد المستعنى ان يشترك في اعمار مدخله فرعي دفعت نفقاته
سبعة اصحاب الاملاك المجاورة للبلدية ودون ان يشترك في دفع نصيبه من
النفقات فلم يتمكنوا من ذلك . الا انه بعد تقديم استعائه عاد
فاتفقوا معهم فاصبح مشتركا بالار
وتفضلوا بقبول فائق الاحترام

~~مستعنى~~

عبد شمس حنة بلدية
طولكرم

ASSISTANT DISTRICT
COMMISSIONER'S OFFICE
17. SEP. 1947
TULKARM

PA
17/9

Handwritten text at the top left, possibly a date or header.

Handwritten text at the top right, possibly a page number or date.

Handwritten text in the upper middle section.

Main body of handwritten text, consisting of several lines of cursive script.

Handwritten text at the bottom right, possibly a signature or closing.

Handwritten text at the bottom right, possibly a signature or closing.

24/17

احسن الخلقه ودين الخلد
 سبوا حكامه والهم
 سعاده مساعد عامه بوزار
 بخدمه المحرم

للمكتب
 المعلقه
 ١٩٤٧

المستدعي : شكري عبدالله عواد
 الموضوع : اتفاقية ضد بديعة طردكم

عمرة اني كنت طبت من دائرة بديعة طردكم مدسورة
 من لداري اوراقه من منطقة البديعة قد اجاب البديع
 لخلي و استوفت الرسوم القانونيه مني بعد انه استوفيت
 الضريبة عنه ٩٧ - ٩٨ . بهيئت وهو لم يخطو
 مني و ذلك بتاريخ ١٩ / ٨ / ٩٧ وقد صدرت
 اوامر صادر المالكه بخدم من لداري لاصول المار
 لداري و لداري عادت و او عثرت ان المالكه بدم
 من المار لداري و وصفت المراقبين من بسبب تنفذ
 فوالله لاجل الاسباب عزيزه و موقوفه المالكه في
 ايام الانتخابات :

طاني الفت نظر مساعدكم اما الامور التاليه

١- كما يجب مع البديع ان تبحث فوالله طبت قبل استفاد
 الرسوم مني و كلنفه لوصف المراسم والمعدات و لوزنه
 انه لداري و اوقفه من منطقه البديع و اذني الضريبة
 و مد واجبه البديع تايمه اصيل المار لجمع الدوله
 لانه من يتقافه بالحقه العامه .

٢- انه البديع ترص المار للدول و المزايح التي تكونه خارج
 المنطقه فمعه باب ادلى انه ترص المار لداري ولا
 يصدى مانع من اصيل المار لولا الاسباب الخزيه
 و تحت الانتقام

لذلك ارجوا انظر في هذه الفقه بعيه التوقيه و انصاف
 و معاني كما قال في سطر هذه المدينه

واقبلوا قائمه الاصله

مستدعي

شكري عواد

٩٧ / ٩ / ١٠

ASSISTANT DISTRICT
 COMMISSIONER'S OFFICE
 2 SEP. 1947
 TOLKAM

1. The first part of the paper is devoted to a general discussion of the problem.

2. The second part is devoted to a detailed study of the case of a single particle.

3. The third part is devoted to a study of the case of a system of particles. In this part we shall consider the case of a system of particles which are interacting with each other. We shall first consider the case of a system of particles which are interacting with each other in a pairwise manner. We shall then consider the case of a system of particles which are interacting with each other in a many-body manner.

4. The fourth part is devoted to a study of the case of a system of particles which are interacting with each other in a many-body manner. We shall first consider the case of a system of particles which are interacting with each other in a pairwise manner. We shall then consider the case of a system of particles which are interacting with each other in a many-body manner.

5. The fifth part is devoted to a study of the case of a system of particles which are interacting with each other in a many-body manner. We shall first consider the case of a system of particles which are interacting with each other in a pairwise manner. We shall then consider the case of a system of particles which are interacting with each other in a many-body manner.

6. The sixth part is devoted to a study of the case of a system of particles which are interacting with each other in a many-body manner. We shall first consider the case of a system of particles which are interacting with each other in a pairwise manner. We shall then consider the case of a system of particles which are interacting with each other in a many-body manner.

7. The seventh part is devoted to a study of the case of a system of particles which are interacting with each other in a many-body manner. We shall first consider the case of a system of particles which are interacting with each other in a pairwise manner. We shall then consider the case of a system of particles which are interacting with each other in a many-body manner.

8. The eighth part is devoted to a study of the case of a system of particles which are interacting with each other in a many-body manner. We shall first consider the case of a system of particles which are interacting with each other in a pairwise manner. We shall then consider the case of a system of particles which are interacting with each other in a many-body manner.

9. The ninth part is devoted to a study of the case of a system of particles which are interacting with each other in a many-body manner. We shall first consider the case of a system of particles which are interacting with each other in a pairwise manner. We shall then consider the case of a system of particles which are interacting with each other in a many-body manner.

ديوان قائمقام طولكرم

١٩٤٧/٩/١٢

الرقم - ط/١٤/١٧

حضرة السيد رشدي عبداللہ عواد المحترم - طولكرم

اشير الى كتابك المؤرخ ١٠/٩/٤٧ واخبرك انني بانتظار جواب

من البلديه بخصوص شكواك والسلام

قائم مقام طولكرم

خ
٩/١٢

٢٢

u

12/12/12

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ
 بِحَضْرَةِ سَعَادَةِ حَاجِّهِ لُؤَاؤِ السَّامِعِ الْمُحْتَرَمِ
 بِوَالِغَةِ سَعَادَةِ قَائِمِ الْمَقَامِ لِحُؤُلَاءِ الْمُحْتَرَمِ

١٩

بِطَبَقَةِ: حَادِ الْبَلَدِيَّةِ .

كُنْتُ قَدْ قَدِمْتُ إِلَى سَعَادَتِكُمْ أَسْتَشَارُ الْخُصُوصَ مِنْ خِصْبَةِ حَادِ
 إِلَى دَارِي وَذَلِكَ مِنْ عَشْرِ أَيَّامٍ تَقْرِيبًا وَلِغَايَةِ الْيَوْمِ لَمْ أَعْرِفْ مَا تُمْ
 بَيْنَهُ الْخُصُوصَ ، لِأَنَّهُ أَرْجُو أَنَّ سَعَادَتَكُمْ أَنَّهُ تَنْظُرُ فِي الْأَمْرِ وَذَلِكَ
 فَرَجَعْتُ دَائِقَةَ الْبَلَدِيَّةِ لِحُؤُلَاءِ بَيْنَهُ الْخُصُوصَ وَتَنْظُرُوا بِجَوَابِ تَعْلِي

سَيِّدِي عَبْدُ اللَّهِ الْهَوَادِ

لِحُؤُلَاءِ

٤٧/٩/١٠



ASSISTANT DISTRICT COMMISSIONER'S OFFICE
TULKARM.

27th December, 1946.

Chairman,
Municipal Commission,
Tulkarm.

Subject:- Water Fees. A

I have the honour to refer to your
letter 86/5 dated 20.12.46, and to approve
your decision pending new estimates.

(Sgd.) A. SINCLAIR

Assistant District Commissioner,
Tulkarm.

IKH/AT.

28.12.

(17)

بلدية طولكرم

مندوق البريد رقم ٩

التهفون رقم ١٥

24/12

الرجاء ان تذكروا عند الاجابة
رقم 86/5

22nd December 1946 طولكرم في

Assistant District Commissioner
Tulkarm

Subject:- Water fees

Ref'nce:- Yours No 156 dated 1.2.45

Applications submitted for water subscriptions augmented to a great number and the Municipality is confronted with great difficulty in obtaining water meters. The estimate for water supply is already closed and no money is available at present. The Municipal C. took decision No 74 not to accept new subscriptions unless the subscriber will supply himself with a water meter accepted by the Municipality. In such case the same conditions apply to the subscriber except he will be exempted from paying the monthly rent of the water meter.

Please issue your approval on this decision.

Yours faithfully

H. Jazouzi

Chairman
Municipal Commission
Tulkarm

Affirmed finally
on estimates 23/2/46

24/12/46

NO. T/24/17-16. (16)

ASSISTANT DISTRICT COMMISSIONER'S OFFICE
TULKARM.

21st December, 1946.

District Commissioner,
Samaris District.

With reference to your 515-4 of
18th December, 1946, dealing with the installation
of a new pumping plant in Tulkarm, I have the
honour to confirm that the necessary money is
available.

(534) ANNELAND
Assistant District Commissioner,
Tulkarm.

AS/AT.

21.12.

THE UNIVERSITY OF CHICAGO
LIBRARY

OF THE UNIVERSITY OF CHICAGO

THE UNIVERSITY OF CHICAGO
LIBRARY

THE UNIVERSITY OF CHICAGO
LIBRARY

THE UNIVERSITY OF CHICAGO
LIBRARY

GOVERNMENT OF PALESTINE.

IN REPLY PLEASE QUOTE

DISTRICT COMMISSIONER'S OFFICE.

No. 515-4

SAMARIA DISTRICT.

NABLUS.

18 December, 1946.

Assistant District Commissioner,
Tulkarm.

Ref'nce: - Your minute on my
File No. 515-4 regard-
ing Tulkarm water
Supply.

I approve, on condition that
the Municipality has the money for
purchasing the new pumping plant.

2. Please confirm.

A.D.
B.V. on file.
19/12

M. M. M.
DISTRICT COMMISSIONER,
SAMARIA DISTRICT.

See P. 16 re

STATEMENT OF PAID

TO THE ORDER OF THE
TREASURER OF THE
STATE OF NEW YORK
FOR THE YEAR 1900

PAID TO THE ORDER OF THE
TREASURER OF THE
STATE OF NEW YORK
FOR THE YEAR 1900

PAID TO THE ORDER OF THE
TREASURER OF THE
STATE OF NEW YORK
FOR THE YEAR 1900

PAID TO THE ORDER OF THE
TREASURER OF THE
STATE OF NEW YORK
FOR THE YEAR 1900

Minute

14

D. D. C.

Ref.(93) the pumping plant is being acquired to supplement the existing system which is eleven years old and no longer sound. At present should the old plant develop a defect the whole town would be without water.

2. The question of maximum output does not enter into this matter as the supplemental estimates include provision for the boring of a new well which should double the municipality's present volume.

3. Approval for the purchase of the new plant is contained in the D.C.'s letter 515 of 28th June 1946.

A. D. C.
Tulkarm.

ASSISTANT DISTRICT COMMISSIONER'S OFFICE
TULKARM.

30th November, 1946.

Chairman,
Municipal Commission,
Tulkarm.

Subject:- Boring of New Well.

I have the honour to refer to your letter No. 81/5 dated 28.11.46 dealing with the boring of a new well in one of the corner of the site selected for a football ground and to inform you that I agree to your proposal.

(Sgd.) A. SINCLAIR

Assistant District Commissioner,
Tulkarm.

ARA/AT.

193
20/11

12
بلدية طولكرم

صندوق البريد رقم ٩

التموز رقم ١٥

ASSISTANT DISTRICT
COMMISSIONER'S OFFICE

28 NOV. 1946

TULKARM

طولكرم في 28th November 1946

Assistant District Commissioner

Tulkarm

Subject: Boring of new well.

The Supplemental Estimate includes allocation of LP 2000 for boring a new well and erection of another water reservoir.

An expert on the subject advised us that the most suitable and promising place for boring a new well is in the North-western side of Tulkarm.

The Municipality possesses a piece of land for football in that place ,I see that the well should be bored in one of the corners for boring is only a pipe of some inches which has no effect whatsoever on the land.

I submit this for your advice, if you agree I will hurry in entering into an agreement to the effect, so as to complete work before the end of the financial year.

H. Jayausi

Chairman.

Municipal Commr

٢٥
Jayus! B 28/11

ASSISTANT DISTRICT COMMISSIONER'S OFFICE

TULKARM.

26th November, 1946.

District Commissioner,
Samarra District.

I have the honour to refer to your letter No. 515/4 dated 16th November 1946, dealing with the testing of the Tulkarm well to be carried out by the Municipality and to forward herewith a copy of letter No. 81/5-A of 23.11.46 received from the Chairman of the Municipal Commission, Tulkarm on this subject.


(Sgd) A. SINCLAIR

Assistant District Commissioner,
Tulkarm.

ARA/KB.

15/11/46

الرجاء ان تذكروا عند الاجابة
No. 81/5-A
رقم



بلمية طولكرم

صندوق البريد رقم ٩
التلفون رقم ١٥

23rd November, 1946 طولكرم في

Assistant District Commissioner,
T u l k a r m .

I have the honour to refer to your letter No.T/24/17-9 dated 20th November, 1946 and to state that the test of the well is no more necessary since we have entered into agreement for a " Pomona " pumping plant for which we have obtained the Import licence. The plant is expected to leave works in U.S. in January, 1947 as stated in the letter of the agent, a copy of which I attach herewith . The capacity of the pump is 80 m.³ p.h. but it can be adjusted to the actual capacity of the well should it prove to be less than 80 m.³

H. Taysir
Chairman,
Municipal Commission
Tulkarm .

c.c.

Copy to a.c. ref. his letter.

AB 24/11

الشيخ الفاضل

الحمد لله

الحمد لله

C o p y

Tel-Aviv 17th November, 1946

His worship ,
The Mayor of Tulkarm
Tulkarm .

Sir,

In reply to your letter of the 10th I wish to inform you that according to the latest information received from my principals, the pump is to leave works beginning January, 1947. The despatch of the pump has been unduly delayed by the successive wave of strikes in the U. S. A. , but it is hoped that now the delivery time will be kept .

Let you be assured that I am doing my utmost to have the despatch of this pump speeded up as much as humanly possible under prevailing circumstances .

(sgd) M. Burger,
Mech. Eng. Tel-Aviv

ASSISTANT DISTRICT COMMISSIONER'S OFFICE
TULKARM.

20th November, 1946.

Chairman,
Municipal Commission,
Tulkarm.

I have the honour to refer to my letter
No. T/24/17-7 of 12.11.46 and to further submit
herewith a copy of a letter No. 515/-4 of 16.11.46
from the District Commissioner on the above
subject.

I should be grateful if you would take
immediate action.

(Sgd.) A. SINCLAIR

Assistant District Commissioner,
Tulkarm.

ARA/KB.

10
21.11



GOVERNMENT OF PALESTINE.

IN REPLY PLEASE QUOTE

NO. 515-4

DISTRICT COMMISSIONER'S OFFICES,
SAMARIA DISTRICT,
NABLUS.

13 NOV 1946

16th November, 1946.

Assistant District Commissioner,
Tulkarm.

With reference to Director of
Public Works' letter No.5/5/7 of 8.11.46 addressed
to me with a copy to you regarding the water supply,
Tulkarm I have the honour to request you to arrange
for the test of the well as early as possible.

W. M. Allen
for DISTRICT COMMISSIONER,
SAMARIA DISTRICT.

Copy to:- District Engineer, P.W.D., Nablus
(Ref. Director of Public Works
letter No.5/5/7 of 8.11.46).

c.c.
copy to Mayor!
AB, 9/11

THE CHURCH OF ENGLAND

THE CHURCH OF ENGLAND

THE CHURCH OF ENGLAND

THE CHURCH OF ENGLAND

THE CHURCH OF ENGLAND

THE CHURCH OF ENGLAND

Assistant District Commissioner's Office,
Tulkarm.

12th November, 1946

Chairman,
Municipal Commission,
Tulkarm.

Subject:- Tulkarm Municipal Water Supply.

I have the honour to refer to your letter No. 81/5-A dated 12th August, 1946 addressed to the British Commercial Agent, Jerusalem with a copy to Mr. Crook, Dir. of P.W., Jerusalem, and to me and to forward herewith the reply received from the Director of Public Works addressed to the District Commissioner, Samaria on the subject.

(Sgd.) A. SINCLAIR

Assistant District Commissioner
Tulkarm.

ARA/KT.

36
7/11

24/19

5/5/7

5th November, 1946.

District Commissioner,
Semeria District.

Subject :- Tulkarm Municipal Water Supply.

Reference:- Chairman, Tulkarm Municipal
Commission's letter No. 81/5-A
of 12.8.1946 (copy enclosed).

I suggest that the first step to be taken by the Municipal Commission should be a continuous 72 hours test of the well, to ensure that a constant output of 80M³/hour is possible, as recommended in my letter No. 5/5/7 of 17th June 1946 to the Asst. District Commissioner, Tulkarm copy enclosed.

2. I have no pump suitable for this test and advise that the test should be carried out by a contractor. It is estimated to cost not more than LP.250.- The test should be completed by the middle of November in order that the results may provide a reliable guide as to the capacity of the well in its dry season condition.

3. I am prepared to assist the Municipal Commission with advice on the placing of the contract for the test with the contractor, and, upon completion of the test, to comment on the plant referred to in your letter above.

copy to Engineer!
RB 11/11

(Sd/-) R. F. B. Crook

DIRECTOR OF PUBLIC WORKS.

E6

Copy to: Asst. District Commissioner, Tulkarm
District Engineer, Nablus

5

بلدية طولكرم

سندوق البريد رقم ٩
التلفون رقم ١٥

الرجاء ان تذكروا عند الاجابة
رقم ٨١/٥ - ١

طولكرم في ١٦/١/٥

24/1/5
5. SEP. 1945
TUL-KH

سادة ماعهاتم الدار بطولكرم المحترم
الموضوع :- تركيب موتور لطيفة لسدوع الدار

بنا ر عم المحادثة التي هرت بينا اقسم لصادرتكم صوراً عنه
بمخابرات التي وردت لنا في هذا الموضوع

وتفقدوا بقوه لاهلهم

٨١/٥ - A.

A.D.C.

رئيس بلدية طولكرم

Subject: Installation of a pump
Engine to Water Supply Scheme

Referring to our conversation I forward
herewith Copies of the Correspondence received on
the Subject. Chairman ^{Sgt. H. Traynor}
M.E. Treharn

SB 6/9

Jan 1907

Jan 1907

Jan 1907

Jan 1907

Jan 1907

Jan 1907

Jan 1907

Jan 1907

Jan 1907

Jan 1907

Jan 1907

Jan 1907

Jan 1907

Office of the British Commercial Agent.

P.O.B 1173.

Jerusalem.

11, Princess Mary Avenue,
I/20. No. 5140.

Palestine.

18th August, 1946

Sir,

With reference to your letter of the 12th August, No. 81/5-A regarding your desire to be supplied with the names of pump manufacturers in the United Kingdom, I have to inform you that the following firms should be in a position to supply your requirements and I suggest that you should address your enquiry to them direct:

- a) Messrs. Gwynnes Pumps Ltd.,
Hammersmith Works, Lincoln.
- b) Messrs. Harland Engineering Co., Ltd.,
B.E.P. Works, Alloa, Scotland.
- c) Messrs. Hayward-Tyler & Co., Ltd.,
Crawley Green Road, Luton.
- d) Messrs. J.T. Wade & Son Ltd.,
Fairfield Works, High Wycombe.
- e) Messrs. Sulzer Bros. (London), Ltd.,
Sun Foundry, Dewsbury Road, Leeds.

Messrs. Harland Engineering Co. are represented in Palestine by Messrs. Levontin Bros., P.O. Box 1654, Tel-Aviv, and Messrs. Hayward-Tyler & Co. Ltd., By Messrs. Engineering Works and Supplies, P.O.B. 707 Jerusalem.

I regret to inform you that the letter from the Ag/Assistant Liaison Officer, Samaria District to which you refer has not yet been received in this Agency.

No responsibility can be accepted by this office in respect of the financial standing of any firm or individual mentioned in this correspondence.


Yours faithfully

(Sgd)

BRITISH COMMERCIAL AGENT
(S.R. Jordan)

SRJ/LL

The Chairman,
Municipal Commission,
Tulkarm.



Levontin Bros. Engineers.
P.O.Box. 1654
Tel-Aviv

29th August, 1946

The Chairman,
Municipal Commission,
TULKARM

Sir,

Subject:- Vertical Pumping Plant

Your enquiry of 25.8.46-Ref.81/5-A

We acknowledge with thanks receipt of your valued enquiry of 25.8.46 for a vertical pump driven by an electric Motor.

Before we can submit you our estimate we require the following information:-

- (a) Length of column pipe
- (b) Inside dia. of boring pipe

We presume that we may be able to supply you with a Pump Plant as required by you, from stock .

We wish to bring to your kind notice that we installed in this country several hundred irrigation plants (pumps driven by electric motors or diesel engines). We also supplied Pump Plant for the

Amman Water Supply

Jerusalem Water Supply

Jaffa Water Supply, at Nuzha (Vertical Pump driven by an Electric Motor, installed a few years ago)

Looking forward to your reply giving the particulars required.

Yours faithfully,
(Sgd)

Levontin Bros, Engineers.

ENGINEERING WORKS & SUPPLIES, A. KOCH

Jerusalem, 27. August 46.

Ref. 20/1660

Chairman,
Municipal Commission,
Tulkarm.

Tender for Borehole Pumps.

Ref yours 81/5-A dated 25.8.46.

Dear Sir,

We thank you very much for your above esteemed enquiry.

In order however that we may be able to obtain a suitable quotation from our Principals in England, we have to know the following additional particulars:

- 1.) Diameter of borehole,
- 2.) Depth " "
- 3.) Depth of stationery water level in borehole,
- 4.) Drawdown of " " (if known)
- 5.) Pumping height above ground level.
- 6.) Length and diam. of pipeline above ground level.

As soon as we receive these particulars, we shall., by air mail, ask for quotation from England.

Awaiting your reply,

we are.

Yours faithfully.

(Sgd)

AK/LK

ENGINEERING WORKS & SUPPLIES. A. Koch.

24/17

4

الرجاء ان تذكروا عند الاجابة
رقم 87/5

بلدية طولكرم

مندوق البريد رقم ٩
التلفون رقم ١٥

3 SEP 1946

2nd Sept. 1946

طولكرم في

Assistant District Commissioner

Tulkarm

Sir,

I have the honour to refer to your letter No.T/24/17-3 of 26th Aug,1946 and to inform you that after I had decided to send our mechanic to Jenin according to the instructions of the Senior M.O. I received a letter from Mr.H.Zetlin dated 23.8.46 in which he states that instruction at Jenin would not be helpful owing to the difference of the design in the two plants . The mechanic's job in the pumping station will,however, be a full time job as recommended by the S.M.O..

The chlorinating plant has been repaired and it is working regularly .I hope it will give satisfaction temporarily until the new water supply plant is installed for which we intend to fit a British make chlorinating plant.

Yours faithfully

H. Zetlin
chairman Municipal Council
Tulkarm

Copy to:

S.M.O. Samaria
M.O.H. Tulkarm

MB/ZS

23/9

ASSISTANT DISTRICT COMMISSIONER'S OFFICE
TULKARM.

26th Aug., 1946.

Chairman,
Municipal Commission,
Tulkarm.

I have the honour to refer to the Senior Medical Officer's letter No. 7/6 dated 20.8.1946, addressed to me, with copy to you dealing with Chlorinating plant of the main Water Supply, Tulkarm, and shall be grateful if you will take ~~an urgent~~ action accordingly.

(Sgd.) ASSISTANT
Assistant District Commissioner,
Tulkarm.Copy to:- S.M.O., Samaria
M.O.H., Tulkarm.

ARA/AT.

10-11-1941

Mr. J. Edgar Hoover

Washington

Dear Mr. Hoover:

Enclosed

are two copies of

the report

of the committee

on the subject of the
activities of the
American People's
Party in the
United States
and its
branches in
various states.
The report is
being submitted
to you for your
information.

Very respectfully,

Yours truly,

Walter D. Byrd

Chairman

10-11-41

7/6

GOVERNMENT OF PALESTINE

DISTRICT HEALTH OFFICE
NABLUS

Assistant District Commissioner,
Tulkarem

20 AUG. 1946

2417
24 AUG. 1946

Subject:-Chlorinating Plant of the Main Water Supply


The bacteriological results of the Main Water Supply at Tulkarem are not giving satisfaction at all- but are on the contrary far below the standard & a source of danger to the community.

On investigation I found out that the mechanic who runs the machine after starting same leaves the pumping station & goes away to do other duties.

The Govt. P. H. D. expert at Jerusalem recommends strongly that the said mechanic should go to Jenin for a day or two & see how the Jenin mechanic runs the Jenin machine as both machines are of the same make.

He also recommends that the Mechanic's job in the pumping station should be a full time job, & under no circumstances the mechanic is to leave his post.

I appeal to you to approach the authorities concerned with a view of having the a/m instructions adhered to.


SENIOR MEDICAL OFFICER.

Copy to:- Director of Medical Services, Jerusalem
Mayor of Tulkarem
Medical Officer of Health, Tulkarem

c.c.
Letter to Mayor regarding
him to act accordingly. B25/8

See (3)
P.



12th Aug 1946

The British Commercial Agent
11 Princess Mary Avenue
Jerusalem

13 AUG 1946

Dear Sirs,

With reference to the Ag/ Assistant Liaison Officer, Samaria District, letter No. H/1 dated 29 July 1946, I hereby come contacting you to supply with the names and addresses of British firms able to supply a pump which work according to the following data, and guaranteed not to wear out even when the water contains much sands and grit.

Type of the pump				10LG		
Number of stages				15		
Pumping capacity per hour	79.5	91	102		113.5	119m ³
Pumping Lift	132.5	123	112		98	90m ³
Revs p.m.				1460		
H.P. required	48.8	50	50.4		50.9	49.6HP
Turbine Efficiency	80%	83%	84%		81%	80%
Mechanical losses in the column				2.2 H.P.		
Friction losses in the column				2.5 m		
Maximum outside diameter of the turbine				9-3/8"		

- 1 Suction Pipe 6" I.D., 3 m long,
- 1 Suction Strainer 6" of wrought iron,
- 1 Electric Measuring device to measure the draw down of the water level.

- 1 Three-phase hollowshaft vertical electric motor for 380 Volt, 50 Cycle, A.C. 60H.P., 1460 R.P.M., drip water proof, with special insulation for the moist and hot climate. The motor contains a non-reverse ratchet which prevents the pump from running backwards, and an adjusting nut to regulate the pump to the actual yield of the boring.

- 1 Autotransformer Starter for the above motor, with overload and no-voltage relays.

Please give the matter mentioned therein the necessary attention as soon as possible, and let me know with the return of the post if such pump is available in the British Firms and the period during which the Firm is able to deliver the Plant.

For more information I refer you to Mr. Crook in the H.Q. P.W.D. Jerusalem, he knows everything about our water supply

Copy to :

Yours faithfully

Mr. Crook.
P.W.D.
Jerusalem

A.D. Commissioner
Tulkarm

H. Jayarasi
Chairman, Municipal Commission
Tulkarm

Undl. B15/5

Page 312

14th Dec